

New
Elgin
 527AA2MR2





Anti-Microbial 

Hi-vis polo shirt with ARC protection

Flame retardant, anti-static, moisture-regulating and antibacterial: the most important features of the Elgin hi-vis polo shirt with arc protection. This light and comfortable shirt with turnover collar and long sleeves is provided with reflective FR strips on the arms, chest, stomach and back.

This soft hi-vis polo shirt of top quality is a real must-have.



Hi-vis polo shirt with ARC protection

Elgin - 527AA2MR2

European Standards:

- » IEC 61482-2 : 2009 class 1 - EBT 7.4 cal/cm²
- » EN ISO 11612 : 2008 / A1 B1 C1 F1
- » EN ISO 14116 : 2008 / Index 3/5H/40
- » EN 1149-5 : 2008
- » EN ISO 20471 : 2013 / Class 3
- » EN ISO 13688 : 2013

Exterior:

- » Lay-flat collar
- » Closure with hidden buttons under flap
- » Long sleeves
- » Flame retardant reflective tape (50mm)
- » Back length 77 cm (L)

Fabric:

54,5% modacrylic + 44,5% cotton + 1% AST; ± 220 g/m²

Sizes:

S - XXXXL

Colour:

- » FY1 Hi-Vis Yellow

Packaging:

10 pieces per box

Wash and care instructions:



SIOEN head office

Fabriekstraat 23

B-8850 Ardoonie

Belgium

T: +32 (51) 740 800

F: +32 (51) 740 962

www.sioen-ppc.com



Discover
our products

© 2020 Sioen Apparel - Protection through Innovation, Flexothane®, Siopor® and the SIOEN logo are trademarks of the Sioen Industries Group.

Please note that all information given in this document is intended to be useful and informative and is correct to the best of our knowledge at time of print. No liability can be accepted for inaccuracies or omissions. The right is reserved to amend this information without prior notice. All our technical files, style descriptions, presentations, designs and drawings, give the latest update of the standards and design or style features of each product. However, delivered products may comply with previous standards, design or style features. For that Sioen disclaims any liability whatsoever. Contact our sales for full information if specific requirements are needed.