

Drayton

167AA2TU2



Hi-vis softshell jacket with detachable sleeves

For optimum protection and a modern look, use the Drayton hi-vis softshell jacket. With a windbreaker lining and elastic sleeve ends, you will be perfectly protected against the wind and the cold. The reflective strips increase your visibility. As an extra, you can zip off the sleeves.





Hi-vis softshell jacket with detachable sleeves

Interior:

» 1 inside pocket

» Fixed windbreaker lining in front

Drayton - 167AA2TU2

European Standards:

- » EN ISO 20471: 2013 +A1 2016 / Class 3
- » Based on essential safety requirements annex II § 1; § 3.7

Exterior:

- » Straight collar
- » Zip closure under flap with touch & close fastening
- » 2 inset pockets
- » Detachable sleeves
- » Elastic at end of sleeves
- » Back length 75 cm (L)

2-layer bonded softshell: 100% polyester stretch + 100% polyester fleece inside; ± 250 g/m²

Sizes:

S - XXXL

Colour:

- » 278 Hi-Vis Yellow/Navy
- » 279 Hi-Vis Orange/Navy

Combining products:

799Z

I.L.S.:

166A

Packaging:

10 pieces per box

Wash and care instructions:











SIOEN head office

Fabriekstraat 23 B-8850 Ardooie Belgium T: +32 (51) 740 800 F: +32 (51) 740 962 www.sioen-ppc.com



Discover our products © 2020 Sioen Apparel - Protection through Innovation, Flexothane®, Siopor® and the SIOEN logo are trademarks of the Sioen Industries Group.

Please note that all information given in this document is intended to be useful and informative and is correct to the best of our knowledge at time of print. No liability can be accepted for inaccuracies or omissions. The right is reserved to amend this information without prior notice.

All our technical files, style descriptions, presentations, designs and drawings, give the latest update of the standards and design or style features of each product. However, delivered products may comply with previous standards, design or style features. For that Sioen disclaims any liability whatsoever. Contact our sales for full information if specific requirements are needed.

